






H	F-20	"B"
520 - 529	2	173
530 - 539	2	158
540 - 549	2	143
550 - 559	2	128
560 - 569	3	183
570 - 579	3	168
580 - 589	3	153
590 - 599	3	138
600 - 609	4	208
610 - 619	4	198
620 - 629	4	178
630 - 639	4	168
640 - 649	4	158
650 - 699	5	225
700 - 749	6	235
750 - 800	7	250
800 - 849	7	103
850 - 900	7	110



2



Technical drawing of a roof truss cross-section. The drawing shows a symmetrical truss structure with a central vertical axis. Key dimensions and components include:

- Overall Width:** $2 \times 14,5 - "aF"$ (top dimension).
- Overall Height:** 2×32 (left and right side dimensions).
- Truss Members:**
 - Top chord: $8 \times 5x6$ (left and right).
 - Bottom chord: $8 \times 84 \text{ I}$ (center).
 - Internal bracing: $4 \times 84 \text{ I}$ (center).
- Dimensions:**
 - Top chord offset from center: $\min. 50 + "A"$ (left and right).
 - Top chord offset from edge: 16 (left and right).
 - Top chord offset from centerline: 32 (left and right).
 - Bottom chord offset from centerline: 32 (left and right).
 - Bottom chord offset from edge: $11 + "A"$ (left and right).
 - Bottom chord offset from center: $"aF"$ (center).
 - Bottom chord offset from edge: 10 (left and right).
 - Bottom chord offset from centerline: 32 (left and right).


3

The diagram illustrates the cross-section of a window frame assembly. Key dimensions and components include:


- Overall Width:** Labeled as "A".
- Frame Thickness:** Indicated by "H" at the top and bottom.
- Internal Frame Dimensions:**
 - Top internal width: $\min. 50 + "A"$
 - Bottom internal width: $\min. 50 + "A"$
- Fasteners:**
 - Top fasteners: $\varnothing 5 \times 6$, spaced 16 units apart from the inner edge.
 - Bottom fasteners: $\varnothing 5 \times 6$, spaced 16 units apart from the inner edge.
 - Central fasteners: 8x M4, located at a distance of $"F"$ from the centerline.
- Other Dimensions:**
 - Distance from outer edge to first fastener: 14,5 - " $F"$ ".
 - Distance between fasteners: 32.
 - Distance from fastener to centerline: 10.
 - Distance from centerline to fastener: 10.
 - Distance from fastener to outer edge: 14,5 - " $F"$ ".




4




5




6




7




Kinvaro F-20



10




11




Kinvaro F-20


12




13




14




15



16





F-20

G*GRASS®

 info@grass.eu
 www.grass.eu